

# Leisure Gas Ltd

*The Lifestyle Gas Specialists*

PO Box 13454 Onehunga Auckland New Zealand

Ph 09 6341683 fax 09 6345324 email [leisuregas@combustioncontrol.com](mailto:leisuregas@combustioncontrol.com)

Web [www.combustioncontrol.com](http://www.combustioncontrol.com)



- Stainless Steel Construction
- High Wind Resistance
- Natural Gas or LPG
- Portable Model Available
- Various Mounting Options

*Outdoor*

Gas Fired Ambience Lighting  
by

**AMBI-LITE**

# Leisure Gas Ltd

*The Lifestyle Gas Specialists*

PO Box 13454 Onehunga Auckland New Zealand

Ph 09 6341683 fax 09 6345324 email [leisuregas@combustioncontrol.com](mailto:leisuregas@combustioncontrol.com)

Web [www.combustioncontrol.com](http://www.combustioncontrol.com)



## Leisure gas Inventory

ID No	CCL Name	CCL Code	Price (GST exclusive)
781	Ambi-lite hdNG	Ambi-lite hdng	\$150.00

### Photo



Basic outdoor ambi-lite for natural gas can be used alone or incorporated into a decorative fixture. Gas Pressure required 1.5 kPa. Basic unit does not incorporate flame failure and is suited for outside operation only

ID No	CCL Name	CCL Code	Price (GST exclusive)
782	Ambi-lite hdlpg	Ambi-lite hdlpg	\$150.00

### Photo



Basic Ambi-lite for LPG operation can be used alone or incorporated into a decorative fixture . Suited for outdoor operation standard unit not fitted with flame failure. Gas pressure required 2.75 kPa

ID No	CCL Name	CCL Code	Price (GST exclusive)
783	Ambi-lite coneng	Ambi-lite coneng	\$235.00

**Photo**



Natural gas Ambi-lite with perforated cone providing increased lighting and flame flicker effect. Suited for outside operation. Unit not fitted with flame failure. Gas pressure required 1.5 kPa

ID No	CCL Name	CCL Code	Price (GST exclusive)
784	Ambi-lite conelpg	Ambi-lite conelpg	\$235.00

**Photo**



LPG Ambi-lite with perforated cone providing increased lighting and flame flicker effect. Suited for outside operation. Unit not fitted with flame failure. Gas pressure 2.75 kPa

ID No	CCL Name	CCL Code	Price (GST exclusive)
785	Ambi-lite lc	Ambi-lite lc	\$130.00

**Photo**



nominal 2m long permanent support post with 44mm stainless steel outer and copper internal gas connection

ID No	CCL Name	CCL Code	Price (GST exclusive)
786	Ambi-lite sv	Ambi-lite sv	


**Photo**



Gas isolation valve for use with small system Ambi-lite pole or direct connection to Ambi-lite

ID No	CCL Name	CCL Code	Price (GST exclusive)
787	Amilite psb		

**Photo**



Portable stand for LPG ambi-lite. Open bottle storage and wheels for movement. Suited for outdoor use

ID No	CCL Name	CCL Code	Price (GST exclusive)
788	Ambi-lite pscr		


**Photo**



Ambi-lite portable stand complete with cone ambi-lite and LPG regulator. Suited for outdoor use

ID No	CCL Name	CCL Code	Price (GST exclusive)
789	Ambi-lite custom		

**Photo**



Custom twin Ambi-lite cone installation. Suited for outdoor operation on natural gas or LPG (subject to order)