

**DOW CORNING**

**Dow Corning Silicone Trading (Shanghai) Co., Ltd.**  
**Material Safety Data Sheet**

Page No.: 1/6  
 Version No. 1.1  
 Revision Date: 05.01.2007

**MOLYKOTE(R) 1102 GAS COCK GREASE**

**1. IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY**

- 1.1 Product Name:** MOLYKOTE(R) 1102 GAS COCK GREASE
- 1.2 Manufacturer's Product Code:** 01206699
- 1.3 Chemical Classification:** Inorganic and organic compounds in mineral oil
- 1.4 Dangerous Goods Classification:** Not applicable.
- 1.5 Company Details:**
- Manufacturer/Supplier:** Dow Corning Silicone Trading (Shanghai) Co., Ltd.  
**Address:** No.268, De Lin Road, WaiGaoQiao Free Trade Zone, Shanghai 200131, China  
**Telephone Number:** (86 21)37747110 **Fax Number:** (86 21) 57741162  
**Emergency Telephone Number:** (86 21) 37741000  
**Contact Person:** Environment, Health and Safety Manager

**2. COMPOSITION / INFORMATION ON INGREDIENTS**

- 2.1 Chemical characterization:** Mixture
- 2.2 Physical Form:** Grease
- 2.3 Color:** Black
- 2.4 Use:** Lubricant
- 2.5 Hazardous Ingredients\*:**

<u>Chemical Name</u>	<u>CAS No.</u>	<u>% (w/w)</u>	<u>Symbols &amp; Health Risk Phrases</u>
----------------------	----------------	----------------	--

No hazardous ingredients.

\*According to European Commission Directive 1999/45/EC (Article 3 [3])

**3. HAZARDS IDENTIFICATION**

- 3.1 Overall Hazard Classification:** Not hazardous.
- 3.2 Hazard Information:** Not hazardous.  
Avoid contact with skin and eyes.
- 3.3 Route of Exposure:** Skin Contact and Accidental Ingestion.
- 3.4 Possible Health Effects:**
- Acute**
- Eyes:** Direct contact may cause mild irritation.
- Skin:** No significant irritation expected from a single short-term exposure.
- Inhalation:** Irritates respiratory passages very slightly.
- Ingestion:** Low ingestion hazard in normal use.

## Dow Corning Silicone Trading (Shanghai) Co., Ltd. Material Safety Data Sheet

Page No.: 2/6  
Version No. 1.1  
Revision Date: 05.01.2007

### MOLYKOTE(R) 1102 GAS COCK GREASE

#### Chronic

##### **Skin:**

Repeated or prolonged contact may cause defatting and drying of skin which may result in skin irritation and dermatitis.

##### **Inhalation:**

No known applicable information.

##### **Ingestion:**

Repeated ingestion or swallowing large amounts may injure internally.

**3.5 Signs and Symptoms of Overexposure:** No significant adverse effects from a single exposure expected from normal use.

#### 4. FIRST AID MEASURES

**4.1 Eyes:** Immediately flush with water for 15 minutes.  
**4.2 Skin:** No first aid should be needed.  
**4.3 Inhalation:** No first aid should be needed.  
**4.4 Ingestion:** Get medical attention.  
**4.5 Comments:** Treat according to person's condition and specifics of exposure.  
**4.6 Note to physicians:** Treat symptomatically. For further information, the medical practitioner should contact Dow Corning Silicone Trading (Shanghai) Co., Ltd.

#### 5. FIRE FIGHTING MEASURES

**5.1 Flammability:** Non-flammable.  
**5.2 Flash Point:** 200 °C (Closed Cup)  
**5.3 Autoignition temperature:** Not determined.  
**5.4 Lower Flammability Limit:** Not determined.  
**5.5 Upper Flammability Limit:** Not determined.  
**5.6 Hazardous Properties:** None.  
**5.7 Extinguishing Media:** On large fires use dry chemical, foam or water spray. On small fires use carbon dioxide (CO<sub>2</sub>), dry chemical or water spray. Water can be used to cool fire exposed containers.  
**5.8 Special Fire Fighting Procedures and Equipment:** Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool. Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals.  
**5.9 Hazardous Combustion Products:** Metal oxides. Sulfur oxides. Carbon oxides and traces of incompletely burned carbon compounds. Nitrogen oxides. Formaldehyde.  
**5.10 Unsuitable Extinguishing Media:** None established.

#### 6. ACCIDENTAL RELEASE MEASURES

**6.1 Personal Precautions:** Avoid skin and eye contact. Do not take internally.  
**6.2 Environmental Precautions:** Do not allow large quantities to enter drains or surface waters.

**Dow Corning Silicone Trading (Shanghai) Co., Ltd.**  
**Material Safety Data Sheet**

Page No.: 3/6  
 Version No. 1.1  
 Revision Date: 05.01.2007

**MOLYKOTE(R) 1102 GAS COCK GREASE**

**6.3 Methods for Cleaning up:** Observe all personal protective equipment recommendations described in this MSDS. If diked material can be pumped, store recovered material in appropriate container. Wipe up or scrape up and contain for salvage or disposal. Dispose of saturated absorbant or cleaning materials appropriately, since spontaneous heating may occur. Laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which laws and regulations are applicable.

**7. HANDLING AND STORAGE**

**7.1 Handling Precautions:** Use with adequate ventilation. Avoid skin and eye contact. Do not take internally. Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking or smoking.

**7.2 Storage Conditions:** Use reasonable care and store away from oxidizing materials.

**7.3 Unsuitable Packaging Materials:** None established.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**8.1 Industrial Hygiene Standards:**

<u>Ingredients</u>	<u>CAS No.</u>	<u>Exposure Limits</u>
--------------------	----------------	------------------------

None known.

**8.2 Engineering Controls**

**Local Ventilation:** None should be needed.

**General Ventilation:** Recommended.

**8.3 Personal Protective Equipment for Routine Handling**

**Respiratory protection:** No respiratory protection should be needed.

**Suitable Respirator:** None should be needed.

**Eye protection:** Use proper protection - safety glasses as a minimum.

**Hand protection:** No special protection needed.

**Skin protection:** Washing at mealtime and end of shift is adequate.

**Hygiene Measures:** Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking or smoking.

**8.4 Personal Protective Equipment for Spills**

**Dow Corning Silicone Trading (Shanghai) Co., Ltd.**  
**Material Safety Data Sheet**

Page No.: 4/6  
 Version No. 1.1  
 Revision Date: 05.01.2007

**MOLYKOTE(R) 1102 GAS COCK GREASE**

<b>Respiratory protection:</b>	No respiratory protection should be needed.
<b>Eye protection:</b>	Use proper protection - safety glasses as a minimum.
<b>Skin protection:</b>	Washing at mealtime and end of shift is adequate.
<b>Precautionary Measures:</b>	Avoid skin and eye contact. Do not take internally. Use reasonable care.
<b>Comments:</b>	If this product is heated to > 150 degrees C, trace quantities of formaldehyde may be released, and adequate ventilation is required.

Note: These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>9.1 Physical Form:</b>	Grease
<b>9.2 Color:</b>	Black
<b>9.3 Odor:</b>	Odorless
<b>9.4 pH:</b>	Not determined.
<b>9.5 Solubility in Water:</b>	Not determined.
<b>9.6 Boiling Point:</b>	Not determined.
<b>9.7 Melting Point:</b>	Not determined.
<b>9.8 Flash Point:</b>	200 °C (Closed Cup)
<b>9.9 Autoignition temperature:</b>	Not determined.
<b>9.10 Explosive properties:</b>	No
<b>9.11 Oxidizing properties:</b>	No
<b>9.12 Vapor Pressure @ 25°C:</b>	Not determined.
<b>9.13 Specific Gravity:</b>	0.94
<b>9.14 Octanol/water partition coefficient:</b>	Not determined.
<b>9.15 Vapour Density (air=1):</b>	Not determined.
<b>9.16 Viscosity:</b>	Not determined.
<b>9.17 Molecular Weight:</b>	Not determined.

The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.

**10. STABILITY AND REACTIVITY**

<b>10.1 Stability:</b>	Stable.
<b>10.2 Reactivity</b>	
<b>Conditions to Avoid:</b>	None.
<b>Materials to Avoid:</b>	Can react with strong oxidising agents.
<b>Hazardous Decomposition Products:</b>	Metal oxides. Sulfur oxides. Carbon oxides and traces of incompletely burned carbon compounds. Nitrogen oxides. Formaldehyde.
<b>Hazardous Polymerization:</b>	Hazardous polymerization will not occur.

**DOW CORNING**

**Dow Corning Silicone Trading (Shanghai) Co., Ltd.  
Material Safety Data Sheet**

Page No.: 5/6  
Version No. 1.1  
Revision Date: 05.01.2007

**MOLYKOTE(R) 1102 GAS COCK GREASE**

**11. TOXICOLOGICAL INFORMATION**

- |  |                                  |
|--|----------------------------------|
| <b>11.1 Possible Health Effects:</b>         | Refer to Section 3.4             |
| <b>11.2 Sensitizing Effects:</b>             | None known.                      |
| <b>11.3 Mutagenic Effects:</b>               | None known.                      |
| <b>11.4 Reproductive Effects:</b>            | None known.                      |
| <b>11.5 Carcinogenic Effects:</b>            | None known.                      |
| <b>11.6 Other Health Hazard Information:</b> | No known applicable information. |

The above listed potential effects of overexposure are based on actual data, the results of studies performed upon similar compositions, component data, and/or expert review of the products.

**12. ECOLOGICAL INFORMATION**

- 12.1 Environmental Fate and Distribution:**  
Solid material, insoluble in water. No adverse effects are predicted.
- 12.2 Environmental Effects:**  
No adverse effects on aquatic organisms are predicted.
- Bioaccumulation:** No bioaccumulation potential.
- 12.3 Fate and Effects in Waste Water Treatment Plants:**  
No adverse effects on bacteria are predicted.

**13. DISPOSAL CONSIDERATIONS**

- |                                 |  |
|---------------------------------|--|
| <b>13.1 Product Disposal:</b>   | Dispose of in accordance with local regulations. |
| <b>13.2 Packaging Disposal:</b> | Dispose of in accordance with local regulations. |

**14. TRANSPORT INFORMATION**

- 14.1 Road and Rail Transport:**  
Not applicable.
- 14.2 Sea Transport (IMDG):**  
Not subject to IMDG code.

**DOW CORNING**

**Dow Corning Silicone Trading (Shanghai) Co., Ltd.  
Material Safety Data Sheet**

Page No.: 6/6  
Version No. 1.1  
Revision Date: 05.01.2007

**MOLYKOTE(R) 1102 GAS COCK GREASE**

**14.3 Air Transport (IATA):**

Not subject to IATA regulations.

**15. REGULATORY INFORMATION**

**15.1 Applicable Laws:**

Provisions of the Regulations for the Safe Handling of Chemicals in the Workplace, particularly those relating to the safe use, production, storage and transportation of dangerous chemicals.

**15.2 Chemical Inventories:**

<b>AICS:</b>	All ingredients listed or exempt.
<b>DSL:</b>	All chemical substances in this material are included on or exempted from the DSL.
<b>IECSC:</b>	All ingredients listed or exempt.
<b>EINECS:</b>	All ingredients listed or exempt.
<b>PICCS:</b>	All ingredients listed or exempt.
<b>KECL:</b>	Not determined.
<b>TSCA:</b>	Not determined.
<b>MITI:</b>	Not determined.

**16. OTHER INFORMATION**

Contact Point:	Technical Information Center (86 21)37747110
Prepared by:	Dow Corning Silicone Trading (Shanghai) Co., Ltd.

This information is offered in good faith as typical values and not as a product specification. No warranty, expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

(R) indicates Registered Trademark